

Appendix B

Data sources cited in the Appendix A data table from Wendy S. Gordon and Robert B. Jackson. 2000. Nutrient concentrations in fine roots. *Ecology* 81: 275-280.

Appendix B downloaded from Ecological Archives E081-002-A2

Adams, C. M., and T. C. Hutchinson. 1992. Fine-root growth and chemical composition in declining Central Ontario sugar maple stands. *Canadian Journal of Forest Research* 22:1489-1503.

Ahlstrom, K., H. Persson, and I. Borjesson. 1988. Fertilization in a mature Scots pine (*Pinus sylvestris* L.) stand - effects on fine roots. *Plant and Soil* 106:179-190.

Arthur, M. A., and T. J. Fahey. 1992. Biomass and nutrients in an Engelmann spruce - subalpine fir forest in north central Colorado: pools, annual production, and internal cycling. *Canadian Journal of Forest Research* 22:315-325.

Arunachalam, A., H. N. Pandey, R. S. Tripathi, and K. Maithani. 1996a. Fine root decomposition and nutrient mineralization patterns in a subtropical humid forest following tree cutting. *Forest Ecology and Management* 86:141-150.

Arunachalam, A., K. Maithani, H. N. Pandey, and R. S. Tripathi. 1996b. The impact of disturbance on detrital dynamics and soil microbial biomass of a *Pinus kesiya* forest in north-east India. *Forest Ecology and Management* 88:273-282.

Berg, B. 1984. Decomposition of root litter and some factors regulating the process: long-term root litter decomposition in a Scots pine forest. *Soil Biology and Biochemistry* 16:609-617.

Bloomfield, J., K. A. Vogt, and D. J. Vogt. 1993. Decay rate and substrate quality of fine roots and foliage of two tropical tree species in the Luquillo Experimental Forest, Puerto Rico. *Plant and Soil* 150:233-245.

Braekke, F. H. 1995. Response of understory vegetation and Scots pine root systems to fertilization at multiple deficiency stress. *Plant and Soil* 168-169:179-185.

Burke, M. K., and D. J. Raynal. 1994. Fine root growth phenology, production, and turnover in a northern hardwood forest ecosystem. *Plant and Soil* 162:135-146.

Camire, C., B. Cote, and S. Brulotte. 1991. Decomposition of roots of black alder and hybrid popular in short-rotation plantings: nitrogen and lignin control. *Plant and Soil* 138:123-132.

Clemensson-Lindell, A., and H. Persson. 1992. Effects of freezing on rhizosphere and root nutrient content using two soil sampling methods. *Plant and Soil* 139:39-45.

Clemensson-Lindell, A., and H. Asp. 1995. Fine-root morphology and uptake of 32P and 35S in a Norway spruce (*Picea abies* (L.) Karst.) stand subjected to various nutrient and water supplies. *Plant and Soil* 173:147-155.

Cox, T. L., W. F. Harris, B. S. Ausmus, and N. T. Edwards. 1978. The role of roots in biogeochemical cycles in an eastern deciduous forest. *Pedobiologia* 18:264-271.

Fahey, T. J., J. W. Hughes, M. Pu, and M. A. Arthur. 1988. Root decomposition and nutrient flux following whole-tree harvest of northern hardwood forest. *Forest Science* 34:744-768.

Goldfarb, D., R. Hendrick, and K. Pregitzer. 1990. Seasonal nitrogen and carbon concentrations in white, brown and woody fine roots of sugar maple (*Acer saccharum* March). *Plant and Soil* 126:144-148.

Grier, C. C., and T. M. Ballard. 1981. Biomass, nutrient distribution, and net production in alpine communities of the Kluane Mountains, Yukon Territory, Canada. *Canadian Journal of Forest Research* 59:2635-2649.

Haug, I., and K. H. Feger. 1990/91. Effects of fertilization with MgSO₄ and (NH₄)₂SO₄ on soil solution chemistry, mycorrhiza and nutrient content of fine roots in a Norway spruce stand. *Water, Air and Soil Pollution* 54:453-467.

Hendrick, R. L., and K. S. Pregitzer. 1993. The dynamics of fine root length, biomass, and nitrogen content in two northern hardwood ecosystems. *Canadian Journal of Forest Research* 23:2507-2520.

Jackson, R. B., and M. M. Caldwell. 1992. Shading and the capture of localized soil nutrients: nutrient contents, carbohydrates, and root uptake kinetics of a perennial tussock grass. *Oecologia* 91:457-462.

Joslin, J. D., and G. S. Henderson. 1987. Organic matter and nutrients associated with fine root turnover in a white oak stand. *Forest Science* 33:330-346.

Khiewtam, R. S., and P. S. Ramakrishnan. 1993. Litter and fine root dynamics of a relict sacred grove forest at Cherrapunji in north-eastern India. *Forest Ecology and Management* 60:327-344.

Klinge, H. 1975. Root mass estimation in lowland tropical rain forests of central Amazonia, Brazil. III. Nutrients in fine roots from giant humus podsols. *Tropical Ecology* 16: 28-38.

Klinge, H. 1976. Root mass estimation in lowland tropical rain forests of central Amazonia, Brazil. *Tropical Ecology* 17:79-88.

Lang, G. E., W. A. Reingers, and G. A. Shellito. 1982. Tissue chemistry of *Abies balsamea* and *Betula papyrifera* var. *cordifolia* from subalpine forests of northeastern United States. *Canadian Journal of Forest Research* 12:311-318.

Lehmann, J., G. Schroth, and W. Zech. 1995. Decomposition and nutrient release from leaves, twigs and roots of three alley-cropped tree legumes in central Togo. *Agroforestry Systems* 29:21-36.

Lessa, A. S. N., D. W. Anderson, and J. O. Moir. 1996. Fine root mineralization, soil organic matter and exchangeable cation dynamics in slash and burn agriculture in the semi-arid northeast of Brazil. *Agriculture, Ecosystems and Environment* 59:191-202.

Lohmus, K., and M. Ivask. 1995. Decomposition and nitrogen dynamics of fine roots of Norway spruce (*Picea abies* (L.) Karst.) at different sites. *Plant and Soil* 168-169:89-94.

Magill, A. H., J. D. Aber, J. J. Hendricks, R. D. Bowden, J. M. Melillo, and P. A. Steudler. 1997. Biogeochemical response of forest ecosystems to simulated chronic nitrogen deposition. *Ecological Applications* 7:402-415.

Majdi, H., and U. Rosengren-Brinck. 1994. Effects of ammonium sulphate application on the rhizosphere, fine-root and needle chemistry in a *Picea abies* (L.) Karst. stand. *Plant and Soil* 162:71-80.

Marchenko, A. N., and Y. M. Karlov. 1962. Mineral exchange in spruce forests of the northern taiga and forest tundra in Arkhangelsk Oblast. *Soviet Soil Science* 7:722-734.

McClugherty, C. A., and J. D. Aber. 1982. The role of fine roots in the organic matter and nitrogen budgets of two forested ecosystems. *Ecology* 63:1481-1490.

McClugherty, C. A., J. D. Aber, and J. M. Melillo. 1984. Decomposition dynamics of fine roots in forested ecosystems. *Oikos* 42:378-386.

McKay, H. M., and D. C. Malcolm. 1988. A comparison of the fine root component of a pure and a mixed coniferous stand. *Canadian Journal of Forest Research* 18:1416-1426.

Meier, C. E., C. C. Grier, and D. W. Cole. 1985. Below- and aboveground N and P use by *Abies amabilis* stands. *Ecology* 66:1928-1942.

Miller, P. M., L. E. Eddleman, and S. Kramer. 1990. Allocation patterns of carbon and minerals in juvenile and small-adult *Juniperus occidentalis*. *Forest Science* 36:734-747.

Nambiar, E. K. S. 1987. Do nutrients retranslocate from fine roots? *Canadian Journal of Forest Research* 17:913-918.

Olff, H., F. Berendse, and W. De Visser. 1994. Changes in nitrogen mineralization, tissue nutrient concentrations and biomass compartmentation after cessation of fertilizer application to mown grassland. *Journal of Ecology* 82:611-620.

Ouimet, R., C. Camire, and V. Furlan. 1995. Endomycorrhizal status of sugar maple in relation to tree decline and foliar, fine-roots, and soil chemistry in the Beauce region, Quebec. Canadian Journal of Botany 73:1168-1175.

Pregitzer, K. S., D. R. Zak, P. S. Curtis, M. E. Kubiske, J. A. Teeri, and C. S. Vogel. 1995. Atmospheric CO₂, soil nitrogen and turnover of fine roots. New Phytologist 129:579-585.

Quesnel, H. J., and L. M. Lavkulich. 1981. Comparison of the chemical properties of forest floors, decaying wood, and fine roots in three ecosystems on Vancouver Island. Canadian Journal of Forest Research 11:215-217.

Remezov, H. P. 1959. Method of studying the biological cycle of elements in forest. Soviet Soil Science 1:59-67.

Rothe, G. M., H. Weil, M. Geider, P. Pfennig, V. Wilhelmi, and W. D. Maurer. 1988. Nutrient element and carbohydrate status of Norway spruce at Mt. Kleiner Feldberg in Taunus exposed to air pollution and soil acidification. European Journal of Forest Pathology 18:98-111.

Ruess, R. W., K. Van Cleve, J. Yarie, and L. A. Viereck. 1996. Contributions of fine root production and turnover to the carbon and nitrogen cycling in taiga forests of the Alaskan interior. Canadian Journal of Forest Research 26:1326-1336.

Santantonio, D., R. K. Hermann, and W. S. Overton. 1977. Root biomass studies in forest ecosystems. Pedobiologia 17:1-31.

Schneider, B. U., and W. Zech. 1990/91. The influence of Mg fertilization on growth and mineral contents of fine roots in (*Picea abies* [Karst] L.) stands at different stages of decline in NE-Bavaria. Water, Air and Soil Pollution 54:469-476.

Silver, W. L. and K. A. Vogt. 1993. Fine root dynamics following single and multiple disturbances in a subtropical wet forest ecosystem. Journal of Ecology 81:729-738.

Singh, J. 1983. Estimation of fine root biomass and nutrients in sal plantations in Meghalaya. Acta Botanica Indica 11:219-223.

Stark, N. 1971. Nutrient cycling II: Nutrient distribution in Amazonian vegetation. Tropical Ecology 12:177-201.

Stevenson, M. J., and F. P. Day. 1996. Fine-root biomass distribution and production along a barrier island chronosequence. American Midland Naturalist 135:205-217.

Tripathi, S. K., and K. P. Singh. 1994. Productivity and nutrient cycling in recently harvested and mature bamboo savannas in the dry tropics. Journal of Applied Ecology 31:109-124.

Ulehlova, B. 1990. Resources of soil fertility in grasslands. Ekologia 9:193-206.

van Praag, H. J., S. Sougnez-Remy, F. Weissen, and G. Carletti. 1988. Root turnover in a beech and a spruce stand of the Belgian Ardennes. *Plant and Soil* 105:87-103.

Vogt, K. A., C. C. Grier, C. E. Meier, and R. L. Edmonds. 1982. Mycorrhizal role in net primary production and nutrient cycling in *Abies amabilis* ecosystems in western Washington. *Ecology* 63:370-380.

Vogt, K. A., C. C. Grier, C. E. Meier, and M. R. Keyes. 1983. Organic matter and nutrient dynamics in forest floors of young and mature *Abies amabilis* stands in western Washington, as affected by fine-root input. *Ecological Monographs* 53:139-157.

Vogt, K. A., R. Dahlgren, F. Ugolini, D. Zabowski, E. E. Moore, and R. Zasoski. 1987. Aluminum, Fe, Ca, Mg, Mn, Cu, Zn and P in above- and belowground biomass. II. Pools and circulation in a subalpine *Abies amabilis* stand. *Biogeochemistry* 4:295-311.

Yin, X., J. A. Perry, and R. K. Dixon. 1991. Temporal changes in nutrient concentrations and contents of fine roots in a *Quercus* forest. *Forest Ecology and Management* 44:175-184.