

References cited in “NPP_Multibiome_EnvReview_Table_A1_R1.csv”

Scurlock, J.M.O., and R.J. Olson. 2012. NPP Multi-Biome: Grassland, Boreal Forest, and Tropical Forest Sites, 1939-1996, R[vision]1. Data set. Available on-line [http://daac.ornl.gov] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A. doi:10.3334/ORNLDAAAC/653

Grasslands

- Abrams, M.D., A.K. Knapp, and L.C. Hulbert (1986) A ten year record of above-ground biomass in a Kansas tallgrass prairie: effects of fire and topographic position. *American J. Botany* **73**, 1509-1515.
- Bertiller, M. B. (1984). Specific primary productivity dynamics on arid ecosystems: a case study in Patagonia, Argentina. *Acta Oecologica: Oecologia Generalis* **5**, 365-381.
- Christie, E.K. (1978) Ecosystem processes in semi-arid grasslands. I. Primary production and water use of two communities possessing different photosynthetic pathways. *Australian J. Agricultural Research* **29**, 773-787.
- Coupland, R.T. (1973) Producers: I. Dynamics of Aboveground Standing Crop. Technical Report No. 27, Matador Project, Canadian Committee for the International Biological Program, University of Saskatchewan, Saskatoon.
- Daubenmire, R. (1972) Ecology of Hyparrhenia rufa in derived savanna in north-western Costa Rica. *J. Applied Ecology* **9**, 11-23.
- Defosse, G.E., M.B. Bertiller and J.O. Ares (1990) Above-ground phytomass dynamics in a grassland steppe of Patagonia, Argentina. *J. Range Management* **43**, 157-160.
- Donaldson, C. H., G. Rootman, and D. Grossman (1984). Long-term nitrogen and phosphorus application to veld. *Journal of the Grassland Society of Southern Africa* **1(2)**, 27-32.
- Garcia-Moya, E. and P. Montanez C. (1992) Saline grassland near Mexico City. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*. (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 70-99.
- Gilmanov, T.G., W.J. Parton and D.S. Ojima (1997) Testing the 'CENTURY' ecosystem level model on data sets from eight grassland sites in the former USSR representing a wide climatic/soil gradient. *Ecological Modelling* **96**, 191-210.
- Hopkins, B. (1968). Vegetation of the Olokemeji Forest Reserve, Nigeria. V. The vegetation on the savanna site with special reference to its seasonal changes. *J. Ecology* **56**, 97-115.
- Kamnalrut, A. and J.P. Evenson (1992) Monsoon grassland in Thailand. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*.

- (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 100-126.
- Kinyamario, J.I. and S.K. Imbamba (1992) Savanna at Nairobi National Park, Nairobi. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*. (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 25-69.
- Lauenroth, W.K. and O.E. Sala (1992) Long-term forage production of North American shortgrass steppe. *Ecological Applications* **2**, 397-403.
- Lomnicki, A., E. Bandola and K. Jankowska (1968) Modification of the Weigert-Evans method for estimation of net primary production. *Ecology* **49**, 147-149.
- Menaut, J-C. and J. Cesar (1979) Structure and primary productivity of Lamto savannas, Ivory Coast. *Ecology* **60**, 1197-1210.
- Pandey, C. B., and J. S. Singh (1992). Rainfall and grazing effects on net primary production in a tropical savanna, India. *Ecology* **73**, 2007-2021.
- San Jose, J.J. and E. Medina (1976) Organic matter production in the *Trachypogon* savanna at Calabozo, Venezuela. *Tropical Ecology* **17**, 113-124.
- Scholes, R.J. and B.H. Walker (1993) *An African Savanna: synthesis of the Nylsvley study*. Cambridge University Press. 306 pp.
- Sims, P.L. and J.S. Singh (1978) The structure and function of ten western North American grasslands. III. Net primary production, turnover and efficiencies of energy capture and water use. *Journal of Ecology* **66**, 573-597.
- Sims, P.L., J.S. Singh and W.K. Lauenroth (1978) The structure and function of ten western North American grasslands. I. Abiotic and vegetational characteristics. *Journal of Ecology* **66**, 251-285.
- Singh, J.S. and P.S. Yadava (1974) Seasonal variation in composition, plant biomass and net primary productivity of a tropical grassland at Kurukshetra, India. *Ecological Monographs* **44**, 351-376.
- Togtohyn, Chuluun, D.S. Ojima, Jargalsaihan Luvsandorjiin, J. Dodd and S. Williams (1996) Simulation studies of grazing in the Mongolian steppe. In: Proc. 5th Intl. Rangelands Congress, Salt Lake City, USA, July 1995, Vol. I. (N.E. West, ed.) Society for Range Management, Denver. pp. 561-562.
- Wallentinus, H.-G. (1973) Above-ground primary production of a *Juncetum gerardi* on a Baltic sea-shore meadow. *Oikos* **24**, 200-219.
- Williamson, P. (1976) Above-ground primary production of chalk grassland allowing for leaf death. *Journal of Ecology* **64**, 1059-1075.
- Xiao Xiangming, Jiang Shu, Wang Yifeng, D.S. Ojima and C.D. Bonham (1995) Temporal variation in aboveground biomass of *Leymus chinense* steppe

from species to community levels in the Xilin River Basin, Inner Mongolia, China. *Vegetatio* **123**, 1-12.

Xiao, X.M., D. Chen, Y.M. Peng, X.Y. Cui and D.S. Ojima (1996) Observation and modeling of plant biomass of meadow steppe in Tumugi, Xingan league, Inner Mongolia, China. *Vegetatio* **127**, 191-201.

Boreal Forests

Bergh, J., S. Linder, T. Lundmark, and B. Elfving (1999) The effect of water and nutrient availability on the productivity of Norway spruce in northern and southern Sweden. *Forest Ecology and Management* **119**, 51-62.

Comeau P.G., and J.P. Kimmins (1989) Above-ground and below-ground biomass and production of lodgepole pine on sites with differing soil-moisture regimes. *Canadian J. Forest Research* **19**, 447-454.

DeAngelis, D.L., R.H. Gardner, and H.H. Shugart. 1981. Productivity of forest ecosystems studied during the IBP: the woodlands data set (Oulu/Kuusamo site, p. 582). In: Reichle, D.E., ed. *Dynamic Properties of Forest Ecosystems*, IBP 23. Cambridge University Press, Cambridge. 683 pp.

Hall, F.G., K.F. Huemmrich, D.E. Strelbel, S.J. Goetz, J.E. Mickeson, and K.D. Woods. (1992). *Biophysical, Morphological, Canopy Optical Property, and Productivity Data From the Superior National Forest*. NASA Technical Memorandum 104568. Goddard Space Flight Center, National Aeronautics and Space Administration. Greenbelt, Maryland, USA

Havas, P., and E. Kubin (1983) Structure, growth and organic matter content in the vegetation cover of an old spruce forest in northern Finland. *Annales Botanici Fennici* **20**, 115-149.

Persson, T., ed. (1980) *Structure and function of northern coniferous forests - an ecosystem study*. Ecological Bulletins (Stockholm), Vol. 32.

Tropical Forests

Chave, J., R. Condit, S. Lao, J. P. Caspersen, R. B. Foster, and S. P. Hubbell. 2003. Spatial and temporal variation of biomass in a tropical forest: results from a large census plot in Panama. *Journal of Ecology* **91**: 240-252.

Condit, R., S.P. Hubbell and R.B. Foster (1995) Mortality rates of 205 neotropical tree and shrub species and the impact of a severe drought. *Ecological Monographs* **65**, 419-439.

Fassbender, H.W and U. Grimm (1981) Ciclos bioquímicos en un ecosistema forestal de los Andes Occidentales de Venezuela. II. Producción y descomposición de los residuos vegetales. *Turrialba* **31**, 39-47.

- Foelster, H., G. de las Salas and P. Khanna (1976) A tropical evergreen forest site with perched water table, Magdalena valley, Colombia: biomass and bioelement inventory of primary and secondary vegetation. *Oecologia Plantarum* **11**, 297-320.
- Golley, F.B., et al. (1975) *Mineral Cycling in a Tropical Moist Forest Ecosystem*. University of Georgia Press, Athens. 248 pp.
- John, D.M. (1973) Accumulation and decay of litter and net production of forest in tropical West Africa. *Oikos* **24**, 430-435.
- Jordan, C.F., ed. (1989) *An Amazonian Rain Forest: structure and function of a nutrient-stressed ecosystem and the impact of slash-and-burn agriculture*. UNESCO-MAB/Parthenon, Carnforth, UK. 176 pp.
- Kira, T. (1978) Primary productivity of Pasoh Forest - a synthesis. *Malaysian Nature Journal* **30**, 291-297.
- Kira T., and T. Shidei. 1967. Primary production and turnover of organic matter in different forest ecosystems of the western Pacific. *Japanese Journal of Ecology* **17**: 70-87.
- Kira, T., H. Ogawa, K. Yoda and K. Ogino (1964) Primary production by a tropical rain forest of Southern Thailand. *Botanical Magazine Tokyo* **77**, 428-429.
- Lugo, A.E. (1992) Comparison of tropical tree plantations with secondary forests of similar age. *Ecological Monographs* **62**, 1-41.
- Martínez-Yrízar, A., J.M. Maass, L.A. Pérez-Jiménez and J. Sarukhán (1996) Net primary productivity of a tropical deciduous forest ecosystem in western Mexico. *Journal of Tropical Ecology* **12**, 169-175.
- McDade, L.A., K.S. Bawa, H.A. Hespenheide, and G.S. Hartshorn (eds.). 1994. *La Selva: Ecology and Natural History of a Neotropical Rain Forest*. University of Chicago Press. 486 pp.
- Stocker, G.C., W.A. Thompson, A.K. Irvine, J.D. Fitzsimon and P.R. Thomas (1995) Annual patterns of litterfall in a lowland and tableland rainforest in tropical Australia. *Biotropica* **27**, 412-420
- Tanner, E.V.J. (1980) Studies on the biomass and productivity in a series of montane rain forests of Jamaica. *Journal of Ecology* **68**, 573-588.
- Vitousek, P.M. 1984. Litterfall, nutrient cycling, and nutrient limitation in tropical forests. *Ecology* **65**: 285-298.
- Weaver, P.L. (1996) Forest productivity in the Cinnamon Bay Watershed, St. John, U.S. Virgin Islands. *Caribbean Journal of Science* **32**, 89-98.
- Weaver, P. L. (2006) A Summary of 20 Years of Forest Monitoring in Cinnamon Bay Watershed, St. John, U.S. Virgin Islands. United States Department of Agriculture, Forest Service, International Institute of Tropical Forestry, General Technical Report IITF-34.